

HDS Certified Storage Architect HH0-580

Hitachi Data Systems Certified Specialist

Thank You for Downloading HH0-580 Updated Exam Questions

<https://certs4sale.com/hitachi/hh0-580-pdf-exam-dumps>

Question: 1

A customer has an IBM storage array and is planning to use it as External Storage on the USP V to migrate an application LUN from external to internal. Would this migration be disruptive for the application?

- A. No, because the customer is using Tiered Storage Manager.
- B. No, because the customer has a ShadowImage copy of the LUN.
- C. Yes, because the server has to perform a reboot to see the LUN.
- D. Yes, because the application must reconfigure the LUN presented by the USP V.

Answer: D

Question: 2

A customer wants to use Hitachi Dynamic Provisioning (HDP) on a USP V. Which two statements are true regarding the mapping of Dynamic Provisioning (DP)-Volumes to the application? (Choose two.)

- A. Any LDEV can be used as a DP-Pool Volume.
- B. Any type of RAID group is available for DP-Pool Volumes.
- C. The size of a DP-Pool is limited by the size of the DP-Pool LDEVs (max 1 TB).
- D. The size of a DP-Pool is limited by the number of the DP-Pool LDEVs (max 256).

Answer: BD

Question: 3

In Hitachi Storage Services Manager (HSSM), which two steps are required when discovering a host? (Choose two.)

- A. Provide the administrator password.
- B. Provide the IP address of the host to be discovered.
- C. Install the appropriate CIM extension on the server you want to manage.
- D. Click the Set Default User name and Password link and provide up to three user names and passwords.

Answer: BC

Question: 4

Your 5 TB Hitachi Dynamic Provisioning (HDP) Pool contains one hundred 50 GB LDEVs and is running out of space. Which two statements are correct? (Choose two.)

- A. You create a new Pool and concatenate it with the existing Pool.

- B. You create new LDEVs out of free space which are used as HDP Pool Volumes to expand your HDP Pool.
- C. You install a new RAID group and create HDP Pool Volumes in this RAID group and add these to your HDP Pool.
- D. You create a new Pool which meets the space requirements and you migrate the Virtual Volumes into this newly created Pool.

Answer: BC

Question: 5

A Hitachi Storage Services Manager (HSSM) customer has switches, hosts, and storage. They want to reduce their Get all Element Details (GAED) times. Which recommendation should you make?

- A. Use segmented replication.
- B. Put everything in one discovery group.
- C. Use the GAED wizard to reduce the time of each element.
- D. Increase the memory of the server to reflect the number of discovery groups.

Answer: A

Question: 6

A customer has Hitachi USP V, Hitachi AMS, EMC DMX, and HP EVA storage systems attached to twenty Windows servers and ten Solaris servers. In this scenario, which two Hitachi Dynamic Link Manager (HDLM) configurations are supported? (Choose two.)

- A. HDLM for UNIX for all storage systems
- B. HDLM for Windows for all storage systems
- C. HDLM for UNIX for Hitachi storage systems only
- D. HDLM for Windows for Hitachi storage systems only

Answer: BC

Question: 7

A customer is deploying a new USP V into the data center across various servers and operating systems. During the planning stage you identify Hitachi Dynamic Link Manager (HDLM) 5.8 as the preferred path management software on the AIX servers. Which three must you include in a prerequisite check list for the deployment? (Choose three.)

- A. Check that Hitachi Device Manager (HDvM) agent is not installed.
- B. Include additional planning for any Virtual I/O (VIO) servers.
- C. Check that the Object Data Manager (ODM) update is installed.
- D. Check that Hitachi Device Manager (HDvM) is compatible with HDLM.
- E. Check the operating system levels and fix packs against the release notes.

Answer: BCE

Question: 8

Your customer currently has Hitachi Dynamic Link Manager (HDLM) version 4.7 running on ten of their production servers. They want to simplify the management of running those HDLM instances. What are two prerequisites for the hosts that are running HDLM to be managed by Hitachi Global Link Availability Manager (HGLAM)? (Choose two.)

- A. Upgrade the HDLM instances to version 5.7 or higher.
- B. Install Provisioning Manager agent 3.5 or later on the hosts running HDLM 4.7.
- C. Install Hitachi Device Manager agent 3.5 or later on the hosts running HDLM 4.7.
- D. Install Hitachi Device Manager agent 3.5 or higher after the upgrade to HDLM 5.2.

Answer: AD

THANK YOU FOR DOWNLOADING HH0-580 UPDATED EXAM QUESTIONS

Note: Thanks For Trying The Demo Of Our HH0-580 Exam Product

Visit Our Site to Purchase the Full Set of Actual HH0-580 Exam Questions With Answers.

Money Back Guarantee



Click The Link Below

<https://certs4sale.com/hitachi/hh0-580-pdf-exam-dumps>