



Cisco 642-889

Implementing Cisco Service Provider Next- Generation Edge Network Services

Thank You for Downloading 642-889 Updated Exam Questions

<https://certs4sale.com/cisco/642-889-pdf-exam-dumps>

Question: 1

Which type of VPN requires a full mesh of virtual circuits to provide optimal site-to-site connectivity?

- A. MPLS Layer 3 VPNs
- B. Layer 2 overlay VPNs
- C. GET VPNs
- D. peer-to-peer VPNs

Answer: B

Question: 2

Which three Layer 3 VPN technologies are based on the overlay model? (Choose three.)

- A. ATM virtual circuits
- B. Frame Relay virtual circuits
- C. GRE/IPsec
- D. L2TPv3
- E. MPLS Layer 3 VPNs
- F. DMVPNs

Answer: C, D, F

Question: 3

Which VPN technology uses the Group Domain of Interpretation as the keying protocol and IPsec for encryption that is often deployed over a private MPLS core network?

- A. DMVPN
- B. GET VPN
- C. SSL VPN
- D. L2TPv3

Answer: B

Question: 4

What is the primary difference between 6PE and 6VPE?

- A. 6VPE does not require an MPLS core.
- B. 6VPE requires an IPv6-aware core.
- C. 6VPE provides IPv6 VPN services.
- D. 6VPE tunnels IPv6 packets inside IPv4 packets.

Answer: C

Question: 5

Refer to the Cisco IOS XR router output exhibit,

```
RP/0/RP1/CPU0:R1#show route vrf red ipv6

Codes: C - connected, S - static, R - RIP, M - mobile, B - BGP
        D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
        N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
        E1 - OSPF external type 1, E2 - OSPF external type 2, E - EGP
        i - ISIS, L1 - IS-IS level-1, L2 - IS-IS level-2
        ia - IS-IS inter area, su - IS-IS summary null, * - candidate default
        U - per-user static route, o - ODR, L - local

Gateway of last resort is not set

B   2001:db80:beef:1::/64

    [200/0] via ::ffff:192.168.253.6 (nexthop in vrf default),07:04:14
```

Which method is being used to transport IPv6 traffic over the service provider network?

- A. 6PE
- B. 6VPE
- C. native IPv6
- D. native IPv4
- E. dual stack

Answer: B

Question: 6

Which flavor of MPLS Layer 3 VPN has MPLS enabled on PE-CE links?

- A. basic
- B. CSC
- C. inter-AS
- D. AToM
- E. VPLS

Answer: B

Question: 7

Which MP-BGP address family must be configured to use VPLS autodiscovery in a Cisco IOS XR router?

- A. address-family l2vpn vpls-vpws
- B. address-family vpnv4 unicast
- C. address-family ipv4 mdt
- D. address-family ipv4 tunnel
- E. address-family vpls vfi

Answer: A

THANK YOU FOR DOWNLOADING 642-889 UPDATED EXAM QUESTIONS

Note: Thanks For Trying The Demo Of Our 642-889 Exam Product

Visit Our Site to Purchase the Full Set of Actual 642-889 Exam Questions With Answers.

Money Back Guarantee



Click The Link Below

<https://certs4sale.com/cisco/642-889-pdf-exam-dumps>