

# **MCSA: Windows 8 70-687**

## **Configuring Windows 8**

**Thank You for Downloading 70-687 Updated Exam Questions**

<https://certs4sale.com/microsoft/70-687-pdf-exam-dumps>

---

**Question: 1**

---

A company has 100 client computers that run Windows 8. You need to assign static IPv6 addresses to the client computers. Which Windows Powershell cmdlet should you run?

- A. Set-NetTCPSetting
- B. Set-NetIPInterface
- C. Set-NetIPv6Protocol
- D. set-NetIPAddress

---

**Answer: D**

---

Explanation:

Modifies IP address configuration properties of an existing IP address

---

**Question: 2**

---

A company has an Active Directory Domain Services (AD DS) domain. All client computers run Windows 8. Portable client computers no longer connect to the corporate wireless network. You need to ensure that when the corporate wireless network is available, the computers always connect to it automatically. Which two actions would achieve the goal? (Each correct answer presents a complete solution. Choose two.)

- A. Create a Group Policy object (GPO) to configure a wireless network policy. Link the GPO to the organizational unit that contains the computers.
- B. Configure the corporate wireless network as an unmetered network.
- C. Configure the corporate wireless network as a preferred network.
- D. Manually connect to the corporate wireless network and select the option to connect automatically to that network.

---

**Answer: C, D**

---

---

**Question: 3**

---

A company has client computers that run Windows 8. The corporate network is configured for IPv4 and IPv6. You need to disable Media Sensing for IPv6 on the client computers without affecting IPv4 communications. What should you do on each client computer?

- A. Run the Disable-NetAdapterBinding Windows PowerShell cmdlet.
- B. Run the Disable-NetAdapter Windows PowerShell cmdlet.
- C. Run the Set-NetIPv6Protocol Windows PowerShell cmdlet.
- D. Run the Set-NetIPv4Protocol Windows PowerShell cmdlet.

---

**Answer: C**

---

Explanation:

<http://technet.microsoft.com/en-us/library/hh826144.aspx>

Set-NetIPv6Protocol [-DhcpMediaSense<DhcpMediaSense>] Modifies the DhcpMediaSense property. This parameter value provides a mechanism for the network adapter to notify the protocol stack of media connect and disconnect events. These events trigger the DHCP client to take some action, such as attempting to renew a DHCP lease or removing routes related to a disconnected network. One application of Media Sense enables the network parameters on the notebook computer of a roaming user to automatically and transparently update without rebooting when the user moves from one location to another.

The acceptable values for this parameter are:

Enabled: DhcpMediaSense set to Enabled.

Disabled: DhcpMediaSense is set to Disabled.

The default value is Enabled

---

## Question: 4

---

### DRAG DROP

A company has an Active Directory Domain Services (AD DS) domain. All client computers run Windows 8. Two computers named COMPUTER1 and COMPUTER2 are connected to one network switch and joined to the domain. Windows Firewall is turned off on both computers. You are planning a remote management solution. You have the following requirements:

- Ensure that COMPUTER2 can run remote commands on COMPUTER1.
- Test the solution by successfully running a command from COMPUTER2 that executes on COMPUTER1.

You need to select the commands to run on COMPUTER1 and COMPUTER2 to meet the remote management requirements.

Which commands should you run? (To answer, drag the appropriate command or commands to the correct location or locations in the answer area. Commands may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Click here to enter text.

wecutil -s COMPUTER1 ipconfig

wininit /s COMPUTER1 ipconfig

winrm quickconfig

winrs quickconfig

winrs -r:COMPUTER1 ipconfig

| On this computer | Run this command |
|------------------|------------------|
| COMPUTER1        |                  |
| COMPUTER2        |                  |

---

**Answer:**

---

Click here to enter text.

wecutil -s COMPUTER1 ipconfig

wininit /s COMPUTER1 ipconfig

winrs quickconfig

| On this computer | Run this command            |
|------------------|-----------------------------|
| COMPUTER1        | winrm quickconfig           |
| COMPUTER2        | winrs -r:COMPUTER1 ipconfig |

---

### Question: 5

---

A company has 100 client computers that run Windows 8. The client computers are members of a workgroup. A custom application requires a Windows Firewall exception on each client computer. You need to configure the exception on the client computers without affecting existing firewall settings. Which Windows PowerShell cmdlet should you run on each client computer?

- A. New-NetFirewallRule
- B. Set-NetFirewallSetting
- C. Set-NetFirewallRule
- D. Set-NetFirewallProfile
- E. New-NetIPSecMainModeRule

---

**Answer: A**

---

Explanation:

Creates a new inbound or outbound firewall rule and adds the rule to the target computer.

<http://technet.microsoft.com/en-us/library/jj554908.aspx>

New-NetFirewallRule -DisplayName "Allow Inbound Telnet" -Direction Inbound -Program %SystemRoot%\System32\tlntsvr.exe -RemoteAddress LocalSubnet -Action Allow

---

### Question: 6

---

A company has an Active Directory Domain Services (AD DS) domain. All client computers run Windows 8. Portable client computers connect to the corporate wireless network. You have the following requirements:

- Prevent users from configuring a wireless network by using settings from a USB flash drive.
- Do not affect the use of other USB devices.

You need to create a Group Policy object (GPO) to meet the requirements.

Which GPO should you create?

- A. A GPO that disables the Allow only USB root hub connected Enhanced Storage Features policy setting.
- B. A GPO that enables wireless policy processing.
- C. A GPO that prohibits connections to mobile broadband networks when roaming.
- D. A GPO that configures Windows Connect Now settings.

---

**Answer: D**

---

Explanation:

<http://windows.microsoft.com/en-US/windows-vista/What-is-Windows-Connect-Now>

Computer Configuration\Policies\Administrative Templates\Network\Windows Connect Now

Turn Off Ability To Configure Using A USB Flash Drive setting:

Prevents Windows from being able to store a Windows Connect Now configuration to a UFD. Because the Windows Connect Now information stored on a UFD contains information that can allow computers to access your protected wireless network, you might choose to disable this setting to improve the security of your wireless networks.

<http://sourcedaddy.com/windows-7/windows-connect-now-in-windows-7.html>

---

**Question: 7**

---

A company has client computers that run Windows 8. The client computers are connected to a corporate private network. Users are currently unable to connect from their home computers to their work computers by using Remote Desktop. You need to ensure that users can remotely connect to their office computers by using Remote Desktop. Users must not be able to access any other corporate network resource from their home computers. Which setting should you configure on the home computers?

- A. Virtual Private Network connection
- B. Remote Desktop local resources
- C. DirectAccess connection
- D. Remote Desktop Gateway IP address

---

**Answer: A**

---

Explanation:

DirectAccess is for Windows Server 2008/2012/Win 7 Ultimate/Enterprise/Win 8 Enterprise only RD Gateway setup is only for servers Create VPN through manage networks. File --> Allow incoming connections. Connect through internet and create VPN which will allow one computer at a time to view the hosts resources, and only the hosts resources unlike standard VPNs.

---

**Question: 8**

---

A company has an Active Directory Domain Services (AD DS) domain. All client computers run Windows 8. Client computers use Windows BitLocker Drive Encryption with a Trusted Platform Module (TPM) chip. You need to create a Group Policy object (GPO) that will secure the TPM owner information. Which policy setting should you configure?

- A. Enable the Turn on TPM backup to Active Directory Domain Services policy setting.
- B. Enable the Configure the level of TPM usage authorization information available to the registry policy setting.
- C. Set the Configure the level of TPM owner authorization information available to operating system policy setting to Full.

D. Enable the Configure TPM platform validation profile policy setting.


---

**Answer: A**

---

Explanation:

<http://technet.microsoft.com/en-us/library/jj679889.aspx>



---

### Question: 9

---

A company has client computers that run Windows 8. The company uses Windows BitLocker Drive Encryption with the data-only option on all client computers. You delete a file containing highly confidential information from your computer. You need to clear the free space on the hard drive to minimize the chance of the confidential information being recovered. Which command should you run on the client computer?

- A. manage-bde -w
- B. chkdsk/spotfix
- C. diskpart clean
- D. BdeHdCfig -target c: shrink

---

**Answer: A**

---

Explanation:

<http://technet.microsoft.com/en-us/library/jj647761.aspx>

Manage-bde -WipeFreeSpace [-w [<Drive>] [-Cancel] [-computername <Name>] [{-?|/?}] [{-help|-h}] manage-bde -w C:

Wipes the free space on the volume removing any data fragments that may have existed in the space.

---

### Question: 10

---

You deploy several tablet PCs that run Windows 8. You need to minimize power usage when the user presses the sleep button. What should you do?

- A. Configure the active power plan to disable Wake Timers.
- B. Configure the active power plan to use Fast Startup.
- C. In Power Options, configure the sleep button setting to Hibernate.
- D. In Power Options, configure the sleep button setting to Sleep.

---

**Answer: C**

---

---

### Question: 11

---

A company has an Active Directory Domain Services (AD DS) domain. All client computers run Windows 8 and are joined to the domain. You have the following requirements:

- Ensure that files in shared network folders are available offline.
- Maximize efficiency for users who connect to shared network folders from a mobile device.

You need to configure Group Policy settings to meet the requirements.

What should you do first?

- A. Enable and configure the Configure slow-link mode policy setting.
- B. Enable the Enable file synchronization on costed networks policy setting.
- C. Enable the Synchronize all offline files when logging on policy setting.
- D. Enable and configure the Specify administratively assigned Offline Files policy setting.


---

**Answer: B**

---

Explanation:

1. **Enable file synchronization on costed networks** – is by default disabled and will not synchronize offline files in the background on connections that are roaming and close to it's data limit.



---

**Question: 12**

---

You install Windows 8 on a desktop computer. You create a system image and then install third-party desktop apps and create personal data. You disable the creation of restore points. The computer is not running optimally. You need to remove the third-party applications and preserve files that are stored in your Documents folder. You start the computer from a system repair disk. Which troubleshooting option should you use?

- A. Refresh your PC without affecting your files
- B. System Restore
- C. Remove everything and install Windows
- D. System Image Recovery

---

**Answer: A**

---

Explanation:

Basically the Refresh feature allows you to refresh your Windows 8 installation back to a vanilla, brand new install while preserving all your personal files. Windows 8 also includes a Reset feature which is similar however resetting your install deletes all personal files so don't select this unless you want a full system wipe.

This is what happens:

Your files and personalization settings won't change.

Your PC settings will be changed back to their defaults.

Metro-style apps from the Windows store will be retained.

---

### Question: 13

---

A company has client computers that run Windows 8. File History is on. An employee downloads data to a folder on drive D named Archives. You need to ensure that the user can restore files from the Archives folder by using File History. What should you do?

- A. Configure the File History advanced settings to include the Archives folder.
- B. From the File History configuration options, change the drive and select the Archives folder.
- C. Create a library named History and add the Archives folder to the library.
- D. Move the Archives folder into the Windows system folder.

---

**Answer: C**

---

Explanation:

<http://blogs.msdn.com/b/b8/archive/2012/07/10/protecting-user-files-with-file-history.aspx>

File History only backs up data in libraries, favorites, desktop, and contacts and must use a non-system drive for backup.

---

### Question: 14

---

You have a portable computer that runs Windows 8. You are creating a backup plan.

You have the following requirements:

- Automatically back up the files in your Documents folder every hour.
- Ensure that you can recover different versions of the backed-up files.
- Do not back up the Windows operating system files.

You need to configure the computer to meet the requirements.

Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. Create a volume mount point in your Documents folder.
- B. Connect an external hard drive to the computer.
- C. Schedule a task to create a restore point every hour.
- D. Create a recovery drive on drive C.
- E. Turn on File History.

---

**Answer: B, E**

---

Explanation:

File History only backs up data in libraries, favorites, desktop, and contacts and must use a non-system drive for backup.

---

### Question: 15

---

A company has client computers that run Windows 8. You install a new device on a client computer. The device installation includes an application that runs when the computer starts. You experience problems with the application. You need to prevent the application from running when the computer starts, without affecting any other application. What should you do?

- A. Configure the application by using Task Manager.
- B. Run the bcdedit command.
- C. Configure the device by using Device Manager.
- D. Run the msconuig command.

---


**Answer: A**

---

Explanation:

It's a new feature of Windows 8

<http://pcworld.co.nz/pcworld/pcw.nsf/feature/20-essential-windows-8-tips-and-tricks>





# THANK YOU FOR DOWNLOADING 70-687 UPDATED EXAM QUESTIONS

Note: Thanks For Trying The Demo Of Our 70-687 Exam Product

Visit Our Site to Purchase the Full Set of Actual 70-687 Exam Questions With Answers.

## Money Back Guarantee



**Click The Link Below**

<https://certs4sale.com/microsoft/70-687-pdf-exam-dumps>