

Dell EMC D-PCM-DY-23

Dell PowerSwitch Campus Deploy 2023

**Thank You for Downloading D-PCM-DY-23 Updated Exam
Questions**

<https://certs4sale.com/dell-emc/d-pcm-dy-23-pdf-exam-dumps>

Question: 1


What condition is important for VLANs carried on an MLAG-attached port-channel?

- A. The required VLANs must be consistently available on both MLAG peers
- B. Only the management VLAN may be carried
- C. The VLANs must exist on only one peer
- D. All VLAN tagging must be disabled

Answer: A

Question: 3

Refer to the image. If both routers are healthy and higher priority is preferred, which router should become VRRP master?



- A. Router A
- B. The client
- C. Router B
- D. Neither router

Answer: A

Question: 4

Which IP header field is used for DSCP marking?

- A. TTL only
- B. VLAN native ID
- C. Source MAC field
- D. Differentiated Services field

Answer: D

Question: 5

What is a common reason to use a ring topology for stack interconnects?

- A. Disable stack redundancy
- B. Maintain stack connectivity if one stack link fails
- C. Prevent the stack from electing a master
- D. Force all traffic through one member

Answer: B

THANK YOU FOR DOWNLOADING D-PCM-DY-23 UPDATED EXAM QUESTIONS

Note: Thanks For Trying The Demo Of Our D-PCM-DY-23 Exam Product

Visit Our Site to Purchase the Full Set of Actual D-PCM-DY-23 Exam Questions With Answers.

Money Back Guarantee



Click The Link Below

<https://certs4sale.com/dell-emc/d-pcm-dy-23-pdf-exam-dumps>