

CWNP CWNA-110

CWNP Certified Wireless Network Administrator (CWNA)

**Thank You for Downloading CWNA-110 Updated Exam
Questions**

<https://certs4sale.com/cwnp/cwna-110-pdf-exam-dumps>

Question 1. (Single Select)

During a post-implementation survey, you have detected a non-802.11 wireless device transmitting in the area used by handheld 802.11g scanners. What is the most important factor in determining the impact of this non-802.11 device?

- A: Receive sensitivity
- B: Channel occupied
- C: Airtime utilization
- D: Protocols utilized

Correct Answer: C

Question 2. (Single Select)

What authentication method is referenced in the 802.11-2016 and 802.11-2020 specifications and is recommended for robust WLAN client security?

- A: SSL
- B: 802.1X/EAP
- C: IPSec
- D: WEP

Correct Answer: B

Question 3. (Single Select)

What is required when operating 802.11ax APS in the 6 GHz band using passphrase-based authentication?

- A: VHT PHY
- B: HT PHY
- C: SAE
- D: CCMP

Correct Answer: C

Question 4. (Single Select)

What is the most effective method for testing roaming in relation to 802.11 VoIP handsets?

- A: Use a spectrum analyzer to monitor RF activity during a VoIP call.
- B: Place a call with the handset and move around the facility to test quality during roaming.
- C: Use a protocol analyzer to capture the traffic generated when a laptop roams.
- D: Use the built-in roaming monitor built into all VoIP handsets.

Correct Answer: B

Question 5. (Multi Select)

What two ISM bands are used by microwave ovens, cordless home telephones, baby monitors, and wireless video cameras?

(Choose two)

- A: 902 MHz
- B: 2.4 GHz
- C: 5.8 GHz
- D: 7.6 GHz

Correct Answer: B, C

Question 6. (Single Select)

_____ uses more bandwidth than is necessary to carry its data.

- A: Narrowband
- B: Frequency Hopping
- C: Multipath Interference
- D: Spread Spectrum

Correct Answer: D

Question 7. (Single Select)

Which one of the following is not a factor considered when calculating the Link Budget for an outdoor point-to-point WLAN bridge link?

- A: MU-MIMO capabilities of the bridges
- B: Operating frequency
- C: Receive antenna gain
- D: Transmit power

Correct Answer: A

Question 8. (Single Select)

You are performing a post-implementation validation survey. What basic tool can be used to easily locate areas of high co-channel interference?

- A: Throughput tester

- B: Laptop-based spectrum analyzer
- C: Access point spectrum analyzer
- D: Wi-Fi scanner

Correct Answer: D

Question 9. (Single Select)

You are using a site survey tool for post-implementation validation. You have installed the appropriate adapter driver and imported a floor plan. Now, you want to take the next step in proper tool use.

What must you do before gathering survey data after the floor plan is imported?

- A: Calibrate the floor plan
- B: Install WinPCAP
- C: Nothing, you can simply start capturing signal readings
- D: Install iPerf

Correct Answer: A

Question 10. (Single Select)

You have received a report of poor wireless connections on the third floor of a building under your administration. Three individuals have reported the problem. Apparently, the connections are reporting a strong signal, but the users cannot access the Internet.

With the problem identified, what is the next logical step in the troubleshooting process?

- A: Verify the solution
- B: Discover the scale of the problem
- C: Perform corrective actions

D: Create a plan of action or escalate the problem

Correct Answer: B

THANK YOU FOR DOWNLOADING CWNA-110 UPDATED EXAM QUESTIONS

Note: Thanks For Trying The Demo Of Our CWNA-110 Exam Product

Visit Our Site to Purchase the Full Set of Actual CWNA-110 Exam Questions With Answers.

Money Back Guarantee



Click The Link Below

<https://certs4sale.com/cwnp/cwna-110-pdf-exam-dumps>