



SAS A00-211

SAS Base Programming for SAS®

Thank You for Downloading A00-211 Updated Exam Questions

<https://certs4sale.com/sas-institute/a00-211-pdf-exam-dumps>

Question: 1

The SAS data set SASUSER.HOUSES contains a variable PRICE which has been assigned a permanent label of "Asking Price". Which SAS program temporarily replaces the label "Asking Price" with the label "Sale Price" in the output?

- A. proc print data = sasuser.houses; label price = "Sale Price"; run;
- B. proc print data = sasuser.houses label; label price "Sale Price"; run;
- C. proc print data = sasuser.houses label; label price = "Sale Price"; run;
- D. proc print data = sasuser.houses; price = "Sale Price"; run;

Answer: C

Question: 2

The following SAS program is submitted:

```
data work.empsalary;  
set work.people (in = inemp)  
work.money (in = insal);  
if insal and inemp;  
run;
```

The SAS data set WORKPEOPLE has 5 observations, and the data set WORKMONEY has 7 observations. How many observations will the data set WORK.EMPSALARY contain?

- A. 0
- B. 5
- C. 7
- D. 12

Answer: A

Question: 3

The following SAS program is submitted:

```
data work.accounting;  
set work.dept1 work.dept2;  
jobcode = 'FA1';  
length jobcode $ 8;  
run;
```

A character variable named JOBCODE is contained in both the WORK.DEPT1 and WORK.DEPT2 SAS data sets. The variable JOBCODE has a length of 5 in the WORK.DEPT1 data set and a length of 7 in the WORK.DEPT2 data set. What is the length of the variable JOBCODE in the output data set?

- A. 3

- B. 5
- C. 7
- D. 8

Answer: B

Question: 4

Given the SAS data set SASDAT

A.TWO:
SASDATA.TWO
X Y
-- ____
5 2
5 4
3 6

The following SAS program is submitted:

```
data sasuser.one one sasdata.three;  
set sasdata two;  
if x = 5 then output sasuser.one;  
else output sasdata three;  
run;
```

What is the result?

- A. The data set SASUSER.ONE has 0 observations, the data set ONE has 0 observations, and the data set SASDATA.THREE has 0 observations.
- B. The data set SASUSER.ONE has 2 observations, the data set ONE has 0 observations, and the data set SASDATA.THREE has 1 observation.
- C. The data set SASUSER.ONE has 2 observations, the data set ONE has 3 observations, and the data set SASDATA.THREE has 1 observation.
- D. No data sets are output. The DATA step fails execution due to errors.

Answer: B

Question: 5

The following SAS program is submitted:

```
footnote 1 'Sales Report for Last Month';  
footnote2 'Selected Products Only';  
footnote3 'All Regions';  
footnote4 'All Figures in Thousands of Dollars';  
proc print data = sasuser.shoes;  
footnote2 'All Products';
```

run;

Which footnote(s) is/are displayed in the report?

- A. All Products
- B. Sales Report for Last Month All Products
- C. All Products All Regions All Figures in Thousands of Dollars
- D. Sales Report for Last Month All Products All Regions All Figures in Thousands of Dollars

Answer: B

Question: 6

Given the raw data record DEPT:

----|----10---|----20---|----30

Printing 750

The following SAS program is submitted:

```
data bonus;
```

```
infile 'dept';
```

```
inputdept$ 1-11 number 13- 15;
```

```
<insert statement here>
```

```
run;
```

Which SAS statement completes the program and results in a value of 'Printing750' for the DEPARTMENT variable?

- A. department = dept || number;
- B. department = left(dept) || number;
- C. department = trim(dept) || number;
- D. department = trim(dept) || put(number,3.);

Answer: D

Question: 7

The following SAS program is submitted:

```
data one;
```

```
address1 = '214 London Way';
```

```
run;
```

```
data one;
```

```
set one;
```

```
address = tranwrd(address1, 'Way', 'Drive'); run;
```

What are the length and value of the variable ADDRESS?

- A. Length is 14; value is '214 London Dri'.
- B. Length is 14; value is '214 London Way'.
- C. Length is 16; value is '214 London Drive'.
- D. Length is 200; value is '214 London Drive'.

Answer: D

Question: 8

The following SAS program is submitted:

```
data work.sets;  
do until (prod gt 6);  
prod + 1;  
end;  
run;
```

What is the value of the variable PROD in the output data set?

- A. 6
- B. 7
- C. 8
- D. (missing numeric)

Answer: B

Question: 9

Given the SAS data sets EMPLOYEE and SALARY:

EMPLOYEE SALARY

Fname age name salary

Bruce 30 Bruce 25000

Dan 40 Bruce 35000

Dan 25000

The following SAS program is submitted:

```
data work.empdata;  
<insert MERGE statement here>  
by fname;  
totsal + salary;  
run;
```

Which MERGE statement correctly completes the program?

- A. merge employee
salary rename = fname = name;
- B. merge employee
salary rename(name = fname);
- C. merge employee
salary (rename = (fname = name));
- D. merge employee
salary (rename = (name = fname));

Answer: D

Question: 10

Which program displays a listing of all data sets in the SASUSER library?

- A. `proc contents lib = sasuser.all; run;`
- B. `proc contents data = sasuser.all; run;`
- C. `proc contents lib = sasuser._all_; run;`
- D. `proc contents data = sasuser._all_; run;`

Answer: D

THANK YOU FOR DOWNLOADING A00-211 UPDATED EXAM QUESTIONS

Note: Thanks For Trying The Demo Of Our A00-211 Exam Product

Visit Our Site to Purchase the Full Set of Actual A00-211 Exam Questions With Answers.

Money Back Guarantee



Click The Link Below

<https://certs4sale.com/sas-institute/a00-211-pdf-exam-dumps>